

## 

# **3D Printers for** Dentistry Repeatable precision for quality assurance and patient safety.











www.swissnf.com Toll Free: 1.800.387.5031









"Asiga's high quality and reliability make it a great option for the lab."

Christopher Kirkland, R&D Technical Analyst, Glidewell Laboratories



"After extensive internal testing of a variety of 3D printing systems, the ASIGA MAX UV is clearly one of the best desktop 3D printers in terms of print quality and consistency for the tested dental indications."

Alex Pilet, Head of Advanced Technologies, Nobel Biocare



"We use the Asiga MAX UV as if offers a completely open material system that allows us to utilise resins from almost any vendor."

Brad Race, Owner, Race Dental



"The Asiga Max has been a game changer for my one man laboratory. I have the freedom to use any material due to the open material system which makes this a very powerful tool."

Bill Marais, Owner, Disa Dental Studio




"The Asiga MAX UV completes our digital denture workflow as it offers the repeatability and costistency we need to remain competitive. Being an open system we have access to any denture base or tooth material as it reaches the market."

Tony Finn, Managing Director, Diamond Denture Studio



"Asiga 3D printers have proven to produce very high quality models and their DLP technology allows the use of many compatible third party materials including Detax, Dreve, Pro3dure and Whip Mix."


David Rodwell, Owner, Rodwell Orthodontic Laboratory



Asiga 3D printers are proven as best-in-class for digital dentistry and offer the highest accuracy of any commercial 3D printer.

3D scans of full-arch dental models printed in DentaMODEL demonstrate over 93% of data points are within 50 microns of the original CAD file with a standard deviation of 31 microns.

Printed on an Asiga MAX UV in Asiga DentaMODEL, scanned using 3Shape scanner and validated in 3Shape Convince software








# Smart Positioning Technology (SPS)

The Smart Positioning System (SPS) is a series of positioning encoders that read the exact position of the build platform during each layer approach. This ensures the next layer is only exposed/formed once the build platform target position has been reached.



#### Internal radiometer

An internal radiometer actively monitors LED intensity during each build ensuring the correct light exposure is delivered for every layer.

# High power UV 385nm LED

To print water-clear materials and many of the industry leading materials, a UV 385nm LED is required.

# Small pixel and accurate pixel placement


Pixel size and pixel placement are important for reproducing digital data accurately to achieve a precise fit. For dentistry, small pixel sizes are critical and we recommend between 47µm - 80µm depending on application.

## Precise material curing

An Open Material System allows for any suitable material to be printed. Material curing parameters for each material are generated by Asiga ensuring materials are cured accurately for repeatable results.



Our end user features.
3D printing made intuitive and simple.





# Single Point Calibration

Calibrate in under 60 seconds

### Auto Power-Off

Energy saving mode and auto-recovery

#### **Environmental Control**

Onboard heater for reliable performance

## Fast Material Change-over

Change materials in less than 30 seconds with no calibration required

# High Power UV LED 385nm

For long term reliability, accuracy and for processing water-clear materials

# Open Material System

Use any Asiga material and any suitable 3rd party material

# Touch Screen Display

For greater user convenience

### Remote access and control

Streamlined integration into your digital workflow

# Asiga dental 3D printers.


























# MAX LCD

The MAX LCD offers dental laboratories and clinics an affordable, repeatable and accurate 3D printing solution.











#### Product specification

'							
Build Volume X, Y, Z	121 x 68 x 76mm. 4.75 x 2.7 x 3 inches						
Pixel Resolution	47μm						
Technology	LCD						
LED Wavelength	405nm (high power LED)						
Asiga dental materials	DentaMODEL-LCD (dental models)  DentaCLEAR-LCD (surgical guides, splints, custom impression trays) *  DentaCAST-LCD (investment casting and pressing)  DentaFLEX-LCD (indirect bonding tray, gingiva mask) *  DentaBASE-LCD (denture base) *  DentaTOOTH-LCD (denture teeth, temporary crown, inlay/onlay) *						
Material Compatibility	Open Material System including materials from Detax, Whip Mix, Dreve, NextDent, Scheu, Dentca, Pro3dure, Dentona, Keystone & more						
Production	Dental models, surgical guides, denture bases, temporaries, partial frameworks, IBT's, crown and bridge, custom trays, splints and more.						
Software	Asiga Composer software. Lifetime updates included						
File inputs	STL, SLC, STM (Asiga Stomp file format)						
Network Compatibility	Wifi, WirelessDirect, Ethernet						
Power requirements	100-240VAC, 50/60Hz, 2.0A MAX						
System sizing	260 x 380 x 370mm /16.50Kg. 10.2 x 15 x 14.5 inches / 36.4Lbs						
Packed sizing	410 x 500 x 480mm / 19Kg. 16.1 x 19.7 x 18.9 inches / 41.9Lbs						
Warranty	12 months manufacturers warranty						
Technical support	Unlimited lifetime technical support included						
Bundle includes	3D printer, Composer software, 1Kg Asiga material, 1L build tray, Asiga Flash post-curing chamber, calibration toolkit						

<sup>\*</sup> Contact Asiga for information regarding material biocompatibility certification in your region











# MAX UV

Proven performance, unrivaled repeatability. The MAX UV is the industry benchmark for precision dental 3D printing. Optimised for the production of all types of dental appliances from restorative dentistry through to orthodontic.









#### Product specification

•						
Build Volume X, Y, Z	119 x 67 x 76mm. 4.68 x 2.63 x 3 inches					
Pixel Resolution	62μm					
Technology	DLP					
LED Wavelength	385nm (high power UV LED)					
Asiga dental materials	DentaMODEL (dental models)					
	DentaCLEAR (surgical guides, splints, custom impression trays) *					
	DentaCAST (investment casting and pressing)					
	DentaFLEX (indirect bonding tray, gingiva mask) *					
	DentaBASE (denture base) *					
	DentaTOOTH (denture teeth, temporary crown, inlay/onlay) *					
Material Compatibility	Open Material System including materials from Detax, Whip Mix, Dreve, NextDent, Scheu, Dentca, Pro3dure, Dentona, Keystone & more					
Production	Dental models, surgical guides, denture bases, temporaries, partial frameworks, IBT's, crown and bridge, custom trays, splints and mo					
Software	Asiga Composer software. Lifetime updates included					
File inputs	STL, SLC, STM (Asiga Stomp file format)					
	STL, SLC, STM (Asiga Stomp file format)					
Network Compatibility	STL, SLC, STM (Asiga Stomp file format) Wifi, WirelessDirect, Ethernet					
Network Compatibility Power requirements						
	Wifi, Wireless Direct, Ethernet					
Power requirements	Wifi, WirelessDirect, Ethernet 100-240VAC, 50/60Hz, 2.0A MAX					
Power requirements System sizing	Wifi, WirelessDirect, Ethernet  100-240VAC, 50/60Hz, 2.0A MAX  260 x 380 x 370mm /16.50Kg. 10.2 x 15 x 14.5 inches / 36.4Lbs					
Power requirements System sizing Packed sizing	Wifi, WirelessDirect, Ethernet  100-240VAC, 50/60Hz, 2.0A MAX  260 x 380 x 370mm / 16.50Kg. 10.2 x 15 x 14.5 inches / 36.4Lbs  410 x 500 x 480mm / 19Kg. 16.1 x 19.7 x 18.9 inches / 41.9Lbs					

<sup>\*</sup> Contact Asiga for information regarding material biocompatibility certification in your region











# PRO HD

The PRO HD combines proven industry-leading precision and a large build envelope with high-speed print capability for professional dental labs and clinics.











Product specification	PRO HD65		PRO HD80				
Build Volume X, Y, Z	125 x 70 x 200mm. 4.9	92 x 2.75 x 7.87 inches	153.6 x 86.4 x 200mm.	6 x 3.4 x 7.87 inches			
Pixel Resolution	65µm		80µr	n			
Technology	DLP		DLP				
LED Wavelength	385nm (high power UV LED)		385nm (high power UV LED)				
Asiga dental materials	DentaMODEL (dental models)  DentaCLEAR (surgical guides, splints, custom impression trays) *  DentaCAST (investment casting and pressing)  DentaFLEX (indirect bonding tray, gingiva mask) *  DentaBASE (denture base) *  DentaTOOTH (denture teeth, temporary crown, inlay/onlay) *						
Material Compatibility	Open Material System including materials from Detax, Whip Mix, Dreve, NextDent, Scheu, Dentca, Pro3dure, Dentona, Keystone & more.						
Production	Dental models, surgical guides, denture bases, temporaries, partial frameworks, IBT's, crown and bridge, custom trays, splints and more.						
Software	Asiga Composer software. Lifetime updates included						
File inputs	STL, SLC, STM (Asiga Stomp file format)						
Network Compatibility	Wifi, Wireless Direct, Ethernet						
Power requirements	100-240VAC, 50/60Hz, 500 Watts (100V - 5Amp Max. 240V - 2.1Amp)						
System sizing	465 x 420 x 1370mm / 75Kg. 18.3 x 16.5 x 53.9 inches / 165Lbs						
Packed sizing	975 x 735 x 1590mm / 100Kg. 38.3 x 28.9 x 62.6 inches / 220Lbs						
Warranty	12 months manufacturers warranty						
Technical support	Unlimited lifetime technical support included						
Bundle includes	3D printer, Composer software, 1Kg Asiga material, 1L build tray, Asiga Flash post-curing chamber, calibration toolkit						

<sup>\*</sup> Contact Asiga for information regarding material biocompatibility certification in your region.













# PRO 4K

The PRO 4K utilises the latest DLP imaging technology to achieve the largest print envelope in our range, with precision, reliability and speed for the most demanding production applications.











Product specification	PRO 4K65		PRO 4K80			
Build Volume X, Y, Z	176.5 x 99 x 200mm. 6.94 x 3.9	x 7.87 inches	217 x 122 x 200mm.	8.54 x 4.8 x 7.87 inches		
Pixel Resolution	65µm		80µm			
Technology	DLP		DLP			
LED Wavelength	385nm (high power UV LED)		385nm (high	385nm (high power UV LED)		
Asiga dental materials	DentaMODEL (dental models)  DentaCLEAR (surgical guides, splints, custom impression trays) *  DentaCAST (investment casting and pressing)  DentaFLEX (indirect bonding tray, gingiva mask) *  DentaBASE (denture base) *  DentaTOOTH (denture teeth, temporary crown, inlay/onlay) *					
Material Compatibility	Open Material System including materials from Detax, Whip Mix, Dreve, NextDent, Scheu, Dentca, Pro3dure, Dentona, Keystone & more.					
Production	Dental models, surgical guides, denture bases, temporaries, partial frameworks, IBT's, crown and bridge, custom trays, splints and more.					
Software	Asiga Composer software. Lifetime updates included					
File inputs	STL, SLC, STM (Asiga Stomp file format)					
Network Compatibility	Wifi, Wireless Direct, Ethernet					
Power requirements	100-240VAC, 50/60Hz, 500 Watts (100V - 5Amp Max. 240V - 2.1Amp)					
System sizing	465 x 420 x 1370mm / 75Kg. 18.3 x 16.5 x 53.9 inches / 165Lbs					
Packed sizing	975 x 735 x 1590mm / 100Kg. 38.3 x 28.9 x 62.6 inches / 220Lbs					
Warranty	12 months manufacturers warranty					
Technical support	Unlimited lifetime technical support included					
Bundle includes	3D printer, Composer software, 1Kg Asiga material, 1L build tray, Asiga Flash post-curing chamber, calibration toolkit					

<sup>\*</sup> Contact Asiga for information regarding material biocompatibility certification in your region.





# Asiga LCD materials suitable for any LCD 3D printer.







DentaMODEL-LCD

- Dental Models
  Quadrants
  Dental Models for thermoforming
  405nm compatible
- DentaCLEAR-LCD
  - Surgical Guides \*
     Splints \*
  - Custom Impression Trays \*
    405nm compatible

### DentaBASE-LCD

Denture Base \*405nm compatible

 $<sup>\</sup>hbox{$^*$ Contact Asiga for information regarding material biocompatibility certification in your region}\\$ 









# DentaCAST-LCD

- Investment casting / pressing C&B
  - Partial Frameworks
  - 405nm compatible



### DentaFLEX-LCD

- IBT Indirect Bonding Trays \*Gingiva mask
  - 405nm compatible

Note: DentaFLEX-LCD is red in colour which changes to clear after post curing

### DentaTOOTH-LCD

- Temporary C&B \*
- Temporary Dentures \*
  - Inlays / Onlays \*
- Available in A1, A2, A3
- 405nm compatible



# Asiga DLP materials suitable for any DLP 3D printer.



### DentaMODEL

- Quadrants
- Dental Models for thermoforming • 385nm - 405nm compatible
- Dental Models



DentaCLEAR

- Surgical Guides \* • Splints \*
- Custom Impression Trays \*
  - 385nm compatible



DentaBASE

• Denture Base \* • 385nm - 405nm compatible

\* Contact Asiga for information regarding material biocompatibility certification in your region







### **DentaTOOTH**

- Temporary C&B \*
- Temporary Dentures \*
  - Inlays / Onlays \*
- Available in A1, A2, A3
- 385nm 405nm compatible





### DentaCAST


- Investment casting / pressing C&B • Partial Frameworks
  - 385nm 405nm compatible




### DentaFLEX

- IBT Indirect Bonding Trays \*
   Gingiva mask
  - 385nm compatible

Note: DentaFLEX-LCD is red in colour which changes to clear after post curing









# Automatic Support and Part Placement

For fast build processing and greater user efficiency

#### **Build Time Estimator**

Effectively schedule your production workflow

## Multi-Stacking included

Maximize Z height usage and build multiple levels of parts

## Simple & Intuitive

Submit builds within a minimal number of clicks

### Dynamic Part Array

Place parts based on geometry to maximize available build area

# Load and Process Multiple Builds

Manage multiple builds at the same time in a simple tab based interface

#### Remote Control


Access your printer via a simple web interface

Compatible with Apple, Windows, Linux



















In 2011, Asiga launched the world's first LED based DLP 3D printer and started the affordable desktop stereolithography revolution which changed digital manufacturing forever.

Asiga won the MJSA's 2012 Thinking Ahead award for best new technology and gained international recognition for innovative products which continue to lead their respective categories to this day.

Asiga designs and manufactures all products at it's headquarters in Sydney, Australia. Asiga's in-house mechanical, electrical, software and materials team ensures continued innovation and product improvement.

Contact us or one of our resellers to learn more.

Asiga Australia (HQ) 2, 19-21 Bourke Road Alexandria, Sydney 2015 Australia TEL: +61 2 9690 2737 Asiga Germany Kraempferstr. 4 99084, Erfurt Germany

TEL: +49 361 5506 6866

info@asiga.com www.asiga.com Asiga USA TOLL FREE: +1 877 689 99 98























www.swissnf.com Toll Free: 1.800.387.5031